Index of Papers Published in 1969 Journals

Author Index

A

Adams, R. H. and Khan, A. M: *Cyclic Steam Injection Project Performance Analysis and Some Results of a Continuous Steam Displacement Pilot, JPT* Jan., 95

B

Baker, P. E.: *An Experimental Study of Heat Flow in Steam Flooding, SPEJ* Mar., 89
Bauer, K. A. and Bezemer, C.: *Prevention of Carbonate Scale Deposition: A Well-Packing Technique with Controlled Solubility Phosphates, JPT* Apr., 505
Bentsen, R. G. and Donohue, D. A. T.: *A Dynamic Programming Model of the Cyclic Steam Injection Process, JPT* Dec., 1582
Bezemer, C. and Bauer, K. A.: *Prevention of Carbonate Scale Deposition: A Well-Packing Technique with Controlled Solubility Phosphates, JPT* Apr., 505
Biggs, M. D. and Cheatham, J. B., Jr.: *Theoretical Forces for Prescribed Motion of a Roller Bit, SPEJ* Dec., 473
Blair, P. M. and Weinaug, C. F.: *Solution of Two-Phase Flow Problems Using Implicit Difference Equations, SPEJ* Dec., 417
Bonet, E. J. and Crawford, P. B.: *Aquifer Behavior with Injection, JPT* Sept., 1210
Brauer, E. B., et al: *The Skin Effect in Producing Wells, JPT* Nov., 1483
Brown, A. A., et al: *An Analysis of Uncertainty in Directional Surveying, JPT* Apr., 515; discussion, 522
Burns, W. A., Jr.: Discussion on *Effect of Anisotropy and Stratification on Pressure Transient Analysis of Wells with Restricted Flow Entry, JPT* May, 646
New Single-Well Test for Determining Vertical Permeability, JPT June, 743

C

Caldwell, R. L., et al: *The Borehole Televiewer — A New Logging Concept for Fracture Location and Other Types of Borehole Inspection, JPT* June, 762
Caudle, B. H. and Khan, A. R.: *Scaled Model Studies of Thin Oil Columns Produced by Natural Water Drive, SPEJ* Sept., 317
Cavendish, J. C., et al: *Galerkin Methods for the Numerical Solution of Boundary Value Problems, SPEJ* June, 204
Chappelear, J. E. and Volek, C. W.: *The Injection of a Hot Liquid into a Porous Medium, SPEJ* Mar., 100
Cheatham, J. B., Jr., and Biggs, M. D.: *Theoretical Forces for Prescribed Motion of a Roller Bit, SPEJ* Dec., 473
Cheatham, J. B., Jr., and Gnirk, P. F.: *A Theoretical Description of Rotary Drilling for Idealized Downhole Bit/Rock Conditions, SPEJ* Dec., 443
Clark, C. R., et al: *PVT Behavior for Mixtures of Methane, Propane and C_7+ Hydrocarbons, SPEJ* Sept., 338
Clark, J. D., et al: *The Skin Effect in Producing Wells, JPT* Nov., 1483
Clegg, M. W. and Mills, M.: *A Study of the Behavior of Partially Penetrating Wells, SPEJ* June, 189
Cook, A. B., et al: *Realistic K Values of C_7+ Hydrocarbons for Calculating Oil Vaporization During Gas Cycling at High Pressures, JPT* July, 901
Craig, F. F., Jr., and Parrish, D. R.: *Laboratory Study of a Combination of Forward Combustion and Waterflooding — The COFCAW Process, JPT* June, 753
Crane, F. E. and Ehrlich, R.: *A Model for Two-Phase Flow in Consolidated Materials, SPEJ* June, 221
Crawford, P. B. and Bonet, E. J.: *Aquifer Behavior with Injection, JPT* Sept., 1210
Culham, W. E., et al: *Experimental and Numerical Simulation of Two-Phase Flow with Interphase Mass Transfer in One and Two Dimensions, SPEJ* Sept., 323

D

Darley, H. C. H.: *A Laboratory Investigation of Borehole Stability, JPT* July, 883
Davidson, L. B.: *The Effect of Temperature on the Permeability Ratio of Different Fluid Pairs in Two-Phase Systems, JPT* Aug., 1037
de Haan, H. J. and Schenk, L.: *Performance Analysis of a Major Steam Drive Project in the Tia Juana Field, Western Venezuela, JPT* Jan., 111
de Haan, H. J. and van Lookeren, J.: *Early Results of the First Large-Scale Steam Soak Project in the Tia Juana Field, Western Venezuela, JPT* Jan., 101
de Klerk, F. and Geertsma, J.: *A Rapid Method of Predicting Width and Extent of Hydraulically Induced Fractures, JPT* Dec., 1571
Donohue, D. A. T. and Bentsen, R. G.: *A Dynamic Programming Model of the Cyclic Steam Injection Process, JPT* Dec., 1582
Douglas, J., Jr., et al: *The Compositional Reservoir Simulator: Case I — The Linear Model, SPEJ* Mar., 115
Dukler, A. E., et al: *Analysis and Prediction of Minimum Flow Rate for the Continuous Removal of Liquids from Gas Wells, JPT* Nov., 1475

E

Earlougher, R. C., Jr.: *Some Practical Considerations in the Design of Steam Injection Wells, JPT* Jan., 79
Eaton, B. A.: *Fracture Gradient Prediction and Its Application in Oilfield Operations, JPT* Oct., 1353
Ehrlich, R. and Crane, F. E.: *A Model for Two-Phase Flow in Consolidated Materials, SPEJ* June, 221
Elkins, L. F.: *Internal Anatomy of a Tight, Fractured Hunton Lime Reservoir Revealed by Performance — West Edmond Field, JPT* Feb., 221

F

Farley, R. W., et al: *Predicting Depletion Behavior of Condensates, SPEJ* Sept., 343
Farouq Ali, S. M., et al: *Experimental and Numerical Simulation of Two-Phase Flow with Interphase Mass Transfer in One and Two Dimensions, SPEJ* Sept., 323
Ford, W. T., et al: *The Compositional Reservoir Simulator: Case I — The Linear Model, SPEJ* Mar., 115

G

Gallus, J. P. and Pye, D. S.: *Deformable Diverting Agent for Improved Well Stimulation, JPT* Apr., 497
Geertsma, J. and de Klerk, F.: *A Rapid Method of Predicting Width and Extent of Hydraulically Induced Fractures, JPT* Dec., 1571
Givens, J. W.: *A Method of Predicting Revaporization of Retrograde Condensate by Dry-Gas Injection, SPEJ* Mar., 21
Glenn, E. E., Jr., et al: *The Borehole Televiewer — A New Logging Concept for Fracture Location and Other Types of Borehole Inspection, JPT* June, 762
Gnirk, P. F. and Cheatham, J. B., Jr.: *A Theoretical Description of Rotary Drilling For Idealized Down-hole Bit/Rock Conditions, SPEJ* Dec., 443
Greenkorn, R. A. and Smith, R. C.: *An Investigation of the Flow Regime for Hele-Shaw Flow, SPEJ* Dec., 434

H

Hall, C. D.: Discussion on *General Turbulent Pipe Flow Scale-Up Correlation for Rheologically Complex Fluids, SPEJ* Mar., 131
Harvey, R. P., et al: *An Analysis of Uncertainty in Directional Surveying, JPT* Apr., 515; discussion, 522
Henderson, G. E., et al: *The Compositional Reservoir Simulator: Case I — The Linear Model, SPEJ* Mar., 115

Herron, E. H., Jr., and Peery, J. H.: *Three-Phase Reservoir Simulation, JPT* Feb., 211
Holcomb, S. V., et al: *The Borehole Televiewer — A New Logging Concept for Fracture Location and Other Types of Borehole Inspection, JPT* June, 762
Hong, K. C. and Jensen, R. B.: *Optimization of Multicycle Steam Stimulation, SPEJ* Sept., 357
Hubbard, M. G., et al: *Analysis and Prediction of Minimum Flow Rate for the Continuous Removal of Liquids from Gas Wells, JPT* Nov., 1475
Hurst, W., et al: *The Skin Effect in Producing Wells, JPT* Nov., 1483

J

Jargon, J. R. and van Poollen, H. K.: *Steady-State and Unsteady-State Flow of Non-Newtonian Fluids Through Porous Media, SPEJ* Mar., 80
Jensen, R. B. and Hong, K. C.: *Optimization of Multicycle Steam Stimulation, SPEJ* Sept., 357
Juch, A. H. and Watson, R. J.: *New Concepts in Sucker-Rod Pump Design, JPT* Mar., 342

K

Kazemi, H.: *Pressure Transient Analysis of Naturally Fractured Reservoirs With Uniform Fracture Distribution, SPEJ* Dec., 451
Kazemi, H. and Seth, M. S.: *Effect of Anisotropy and Stratification on Pressure Transient Analysis of Wells with Restricted Flow Entry, JPT* May, 639; discussion, 646
Kazemi, H., et al: *The Interpretation of Interference Tests in Naturally Fractured Reservoirs With Uniform Fracture Distribution, SPEJ* Dec., 463
Khan, A. M. and Adams, R. H.: *Cyclic Steam Injection Project Performance Analysis and Some Results of a Continuous Steam Displacement Pilot, JPT* Jan., 95
Khan, A. R. and Caudle, B. H.: *Scaled Model Studies of Thin Oil Columns Produced by Natural Water Drive, SPEJ* Sept., 317

M

Malone, W. T., et al: *Vertical Fracture Height — Its Effect on Steady-State Production Increase, JPT* May, 633
Mandl, G. and Volek, C. W.: *Heat and Mass Transport in Steam-Drive Processes, SPEJ* Mar., 59
Mills, M. and Clegg, M. W.: *A Study of the Behavior of Partially Penetrating Wells, SPEJ* June, 189
Mungan, N. and Thompson, J. L.: *A Laboratory Study of Gravity Drainage in Fractured Systems Under Miscible Conditions, SPEJ* June, 247

N

Norton, L. J., et al: *The Borehole Televiewer — A New Logging Concept for Fracture Location and Other Types of Borehole Inspection, JPT* June, 762

O

Odeh, A. S.: *Flow Test Analysis for a Well with Radial Discontinuity, JPT* Feb., 207

P

Parrish, D. R. and Craig, F. F., Jr.: *Laboratory Study of a Combination of Forward Combustion and Waterflooding — The COFCAW Process, JPT* June, 753
Peery, J. H. and Herron, E. H., Jr.: *Three-Phase Reservoir Simulation, JPT* Feb., 211
Perez-Rosales, C.: *Simultaneous Determination of Basic Geometrical Characteristics of Porous Media, SPEJ* Dec., 413
Perry, G. E. and Seba, R. D.: *A Mathematical Model of Repeated Steam Soaks of Thick Gravity Drainage Reservoirs, JPT* Jan., 87
Prats, M.: *The Heat Efficiency of Thermal Recovery Processes, JPT* Mar., 323
Price, H. S., et al: *Galerkin Methods for the Numerical Solution of Boundary Value Problems, SPEJ* June, 204
Pye, D. S. and Gallus, J. P.: *Deformable Diverting Agent for Improved Well Stimulation, JPT* Apr., 497

R

Ramey, H. J., Jr., and Wattenbarger, R. A.: *Well Test Interpretation of Vertically Fractured Gas Wells, JPT* May, 625
Ramey, H. J., Jr., and Whiting, R. L.: *Application of Material and Energy Balances to Geothermal Steam Production, JPT* July, 893
Raymond, L.: *Temperature Distribution in a Circulating Drilling Fluid, JPT* Mar., 333
Roberts, D. S., et al: *PVT Behavior for Mixtures of Methane, Propane and C_7 Hydrocarbons, SPEJ* Sept., 338
Roebuck, I. F., Jr., et al: *The Composition Reservoir Simulator: Case I — The Linear Model, SPEJ* Mar., 115

S

Schenk, L. and de Haan, H. J.: *Performance Analysis of a Major Steam Drive Project in the Tia Juana Field, Western Venezuela, JPT* Jan., 111
Schultz, C. W., et al: *The Effect of Additives on Impregnated Diamond Bit Performance, SPEJ* Dec., 425
Seba, R. D. and Perry, G. E.: *A Mathematical Model of Repeated Steam Soaks of Thick Gravity Drainage Reservoirs, JPT* Jan., 87
Selim, A. A., et al: *The Effect of Additives on Impregnated Diamond Bit Performance, SPEJ* Dec., 425
Seth, M. S. and Kazemi, H.: *Effect of Anisotropy and Stratification on Pressure Transient Analysis of Wells with Restricted Flow Entry, JPT* May, 639; discussion, 646
Seth, M. S., et al: *The Interpretation of Interference Tests in Naturally Fractured Reservoirs With Uniform Fracture Distribution, SPEJ* Dec., 463
Sheffield, M.: *Three-Phase Fluid Flow Including Gravitational, Viscous and Capillary Forces, SPEJ* June, 255
Shutler, N. D.: *Numerical, Three-Phase Simulation of the Linear Steamflood Process, SPEJ* June, 232
Smith, R. C. and Greenkorn, R. A.: *An Investigation of the Flow Regime for Hele-Shaw Flow, SPEJ* Dec., 434
Spencer, G. B., et al: *Realistic K Values of C_7+ Hydrocarbons for Calculating Oil Vaporization During Gas Cycling at High Pressures, JPT* July, 901
Stahl, C. D., et al: *Experimental and Numerical Simulation of Two-Phase Flow with Interphase Mass Transfer in One and Two Dimensions, SPEJ* Sept., 323
Straus, A. J. D., et al: *The Borehole Televiewer — A New Logging Concept for Fracture Location and Other Types of Borehole Inspection, JPT* June, 762
Strebig, K. C., et al: *The Effect of Additives on Impregnated Diamond Bit Performance, SPEJ* Dec., 425
Swift, G., et al: *PVT Behavior for Mixtures of Methane, Propane and C_7 Hydrocarbons, SPEJ* Sept., 338

T

Thomas, G. W., et al: *The Interpretation of Interference Tests in Naturally Fractured Reservoirs With Uniform Fracture Distribution, SPEJ* Dec., 463
Thompson, J. L. and Mungan, N.: *A Laboratory Study of Gravity Drainage in Fractured Systems Under Miscible Conditions, SPEJ* June, 247
Timur, A.: *Pulsed Nuclear Magnetic Resonance Studies of Porosity, Movable Fluid, and Permeability of Sandstones, JPT* June, 775
Tiner, R. L., et al: *Vertical Fracture Height — Its Effect on Steady-State Production Increase, JPT* May, 633
Tinsley, J. M., et al: *Vertical Fracture Height — Its Effect on Steady-State Production Increase, JPT* May, 633
Todd, J. C.: *Estimating the Combustion Drive Air Requirement by Backflowing an Injection Well in the Delaware-Childers Field, SPEJ* Sept., 351
Turner, R. G., et al: *Analysis and Prediction of Minimum Flow Rate for the Continuous Removal of Liquids from Gas Wells, JPT* Nov., 1475

V

van Lookeren, J. and de Haan, H. J.: *Early Results of the First Large-Scale Steam Soak Project in the Tia Juana Field, Western Venezuela, JPT* Jan., 101

van Poollen, H. K. and Jargon, J. R.: *Steady-State and Unsteady-State Flow of Non-Newtonian Fluids Through Porous Media, SPEJ* Mar., 80
Varga, R. S., et al: *Galerkin Methods for the Numerical Solution of Boundary Value Problems, SPEJ* June, 204
Volek, C. W. and Chappelear, J. E.: *The Injection of a Hot Liquid into a Porous Medium, SPEJ* Mar., 100
Volek, C. W. and Mandl, G.: *Heat and Mass Transport in Steam-Drive Processes, SPEJ* Mar., 59

W

Walker, C. J., et al: *Realistic K Values of C_7+ Hydrocarbons for Calculating Oil Vaporization During Gas Cycling at High Pressures, JPT* July, 901
Walstrom, J. E., et al: *An Analysis of Uncertainty in Directional Surveying, JPT* Apr., 515; discussion, 522
Watson, R. J. and Juch, A. H.: *New Concepts in Sucker-Rod Pump Design, JPT* Mar., 342
Wattenbarger, R. A. and Ramey, H. J., Jr.: *Well Test Interpretation of Vertically Fractured Gas Wells, JPT* May, 625
Weinaug, C. F. and Blair, P. M.: *Solution of Two-Phase Flow Problems Using Implicit Difference Equations, SPEJ* Dec., 417
Weinaug, C. F., et al: *Predicting Depletion Behavior of Condensates, SPEJ* Sept., 343
Whiting, R. L. and Ramey, H. J., Jr.: *Application of Material and Energy Balances to Geothermal Steam Production, JPT* July, 893
Williams, J. R., Jr., et al: *Vertical Fracture Height — Its Effect on Steady-State Production Increase, JPT* May, 633
Wolfe, J. F., et al: *Predicting Depletion Behavior of Condensates, SPEJ* Sept., 343

Y

Young, F. S., Jr.: *Computerized Drilling Control, JPT* Apr., 483

Z

Zemanek, J., et al.: *The Borehole Televiewer — A New Logging Concept for Fracture Location and Other Types of Borehole Inspection, JPT* June, 762

Subject Index

A

Additives: organic: effect on impregnated diamond bit performance, SPEJ Dec., 425
Air requirements: combustion drive: estimating by backflowing an injection well in Delaware-Childers field, SPEJ Sept., 351
Analogs: *See also* Models
  Hele-Shaw flow: investigation of flow regime, SPEJ Dec., 434
Anisotropic reservoirs: effect on pressure transient analysis of wells with restricted flow entry, JPT May, 639; discussion, 646
Anisotropy: partially penetrating wells: study of behavior, SPEJ June, 189
Annulus: circulating drilling fluid: temperature distribution, JPT Mar., 333

B

Barrier: shale: effectiveness determined by new single-well test, JPT June, 743
Bits: diamond: effect of additives on performance, SPEJ Dec., 425
  drilling: computerized control, JPT Apr., 483
  roller: theoretical forces for prescibed motion, SPEJ Dec., 473
  theoretical description of rotary drilling for idealized down-hole rock conditions, SPEJ Dec., 443
Bolivar Coast: *See* Venezuela
Borehole: stability: laboratory investigation, JPT July, 883
  televiewer: new logging concept for fracture location and other types of borehole inspection, JPT June, 762
Boundary conditions: boundary value problems: numerical solution by Galerkin methods, SPEJ June, 204
Buildup curves: *See* Pressure Buildup

C

California: Huntington Beach field: cyclic steam injection project performance analysis and results of a continuous steam displacement pilot, JPT Jan., 95
  Yorba Linda field: mathematical model of repeated steam soaks of thick gravity drainage reservoirs, JPT Jan., 87
Capillarity: three-phase fluid flow: including gravitational and viscous forces, SPEJ June, 255
Carbonates: scale: prevention of deposition, well-packing technique with controlled solubility phosphates, JPT Apr., 505
COFCAW process: combination of forward combustion and waterflooding: laboratory study, JPT June, 753
Combination drive: forward combustion and waterflooding: laboratory study, JPT June, 753
Combustion: drive: estimating the air requirement by backflowing an injection well in Delaware-Childers field, SPEJ Sept., 351
  forward: combined with waterflooding; laboratory study, JPT June, 753
Combustion drive: *See* Thermal Recovery of Oil
Completion: *See* Well Completion
Completion practice: *See* Well Completion
Computers: automation: drilling control usage, JPT Apr., 483
  compositional reservoir simulator: linear model, SPEJ Mar., 115
    digital: optimization of multicycle steam stimulation, SPEJ Sept., 357
  flow regime for Hele-Shaw flow, SPEJ Dec., 434
  IBM 360: three-phase reservoir simulation, JPT Feb., 211
  IBM 7094: program to test model data; analysis and prediction of minimum flow rate for the continuous removal of liquids from gas wells, JPT Nov., 1475
  program: calculating oil vaporization during gas cycling at high pressures: realistic *K* values of C_7+ hydrocarbons, JPT July, 901
    directional surveying; analysis of uncertainty, JPT Apr., 515; discussion, 522
    theoretical forces for prescribed motion of a roller bit, SPEJ Dec., 473
Condensates: depletion behavior prediction, SPEJ Sept., 343
  PVT behavior, SPEJ Sept., 338
Correlation: condensates: predicting depletion behavior, SPEJ Sept., 343
  flow test analysis: well with radial discontinuity, JPT Feb., 207
Cycling: *See* Gas Cycling

D

Delaware-Childers field: *See* Oklahoma
Depletion: condensates: predicting behavior, SPEJ Sept., 343
Design: steam injection wells: some practical considerations, JPT Jan., 79
  sucker-rod pump: new concepts, JPT Mar., 342
Dew point: predicting for condensates, SPEJ Sept., 343
Difference equations: implicit: solution of two-phase flow problems, SPEJ Dec., 417
Directional wells: analysis of uncertainty, JPT Apr., 515; discussion, 522
Displacement mechanism: *See also* various types of displacement
  continuous steam displacement pilot: cyclic steam injection project performance analysis and results, JPT Jan., 95

permeability ratio of different fluid pairs in two-phase systems: effect of temperature, JPT Aug., 1037
Drawdown analyses: well with radial discontinuity, JPT Feb., 207
Drill bit: *See* Bits and Drilling: bit
Drilling: *See also* Offshore Drilling
diamond bit performance: effect of additives on impregnated diamond bit performance, SPEJ Dec., 425
roller: theoretical forces for prescribed motion, SPEJ Dec., 473
computerized control, JPT Apr., 483
fracture gradient prediction, JPT Oct., 1353
rotary: theoretical description; for idealized down-hole bit/rock conditions, SPEJ Dec., 443
Drilling fluids: circulating: temperature distribution, JPT Mar., 333

E

Economics: optimization of multicycle steam stimulation, SPEJ Sept., 357
Efficiency: heat: thermal recovery processes, JPT Mar., 232
Electric logging: *See* Well Logging
Energy: balances: application to geothermal steam production, JPT July, 893
Equation of state: Benedict-Webb-Rubin: predicting depletion behavior of condensates, SPEJ Sept., 343
condensates, (Tech. Paper) SPEJ Sept., 279
Equilibrium ratio: C_7+ hydrocarbons: calculating oil vaporization during gas cycling at high pressures, JPT July, 901
Equipment: *See also* names of various types
borehole televiewer: new logging concept for fracture location and other types of borehole inspection, JPT June, 762
Evaluations: *See also* Field Case Histories, Field Tests, Formation Evaluation, Laboratory Studies and Performance Predictions

F

Field applications: *See* Field Tests
Field case history: *See also* Field Tests
Field tests: *See also* Evaluations
carbonate scale deposition: prevention by well-packing technique with controlled solubility phosphates, JPT Apr., 505
combustion drive air requirement by backflowing an injection well in Delaware-Childers field, SPEJ Sept., 351
computerized: drilling control; Louisiana, JPT Apr., 483
deformable diverting agent for improved well stimulation, JPT Apr., 497
gas wells: analysis and prediction of minimum flow rate for the continuous removal of liquids, JPT Nov., 1475
sucker-rod pump: new concepts in design, JPT Mar., 342
Flow capacity: vertical height effect on steady-state production increase, JPT May, 633
Flow tests: analysis for a well with radial discontinuity, JPT Feb., 207
Fluid flow: *See also* specific applications such as gas injection, displacement mechanisms and waterflooding
boundary value problems: Galerkin methods for numerical solution, SPEJ June, 204
gravity drainage: mathematical model of repeated steam soaks of thick reservoirs, JPT Jan., 87
Hele-Shaw: investigation of flow regime, SPEJ Dec., 434
linear model: compositional reservoir simulator, SPEJ Mar., 115
miscible conditions: laboratory study of gravity drainage in fractured systems, SPEJ June, 247
movable fluid in sandstones: pulsed nuclear magnetic resonance studies, JPT June, 775
porous media: steady-state and unsteady-state flow of non-Newtonian fluids, SPEJ Mar., 80
restricted entry: pressure transient analysis of wells; effect of anisotropy and stratification, JPT May, 639; discussion, 646
skin effect in producing wells, JPT Nov., 1483
tests: analysis for a well with radial discontinuity, JPT Feb., 207
three-phase: including gravitational, viscous and capillary forces, SPEJ June, 255
simulation; linear steam-flood process, SPEJ June, 232
two dimensional; reservoir simulation, JPT Feb., 211
two-phase: experimental and numerical simulation with interphase mass transfer in one and two dimensions, SPEJ Sept., 323
model for consolidated materials, SPEJ June, 221
solution of problems using implicit difference equations, SPEJ Dec., 417
temperature effect on permeability ratio of different fluid pairs, JPT Aug., 1037
unsteady state: aquifer behavior with injection, JPT Sept., 1210
vertical permeability: new single-well test for determining, JPT June, 743
Fluid injection: *See also* Gas Injection, Miscible Displacement, Thermal Recovery of Oil and Waterflooding
skin effect in producing wells, JPT Nov., 1483
Fluid loss: reduced by deformable diverting agent in improved well stimulation, JPT Apr., 497
Fluid mechanics: gas wells: analysis and prediction of minimum flow rate for continuous removal of liquids, JPT Nov., 1475
Fluid properties: *See also* the specific property
Fluid tests: non-Newtonian fluids: steady-state and unsteady-state flow, SPEJ Mar., 80
Formation evaluation: *See also* Drawdown Analyses, Pressure Buildup and Well Logging
fracture location: use of borehole televiewer, JPT June, 762
Formation fractures: deformable diverting agent for improved well stimulation, JPT Apr., 497
gradient prediction: application in oilfield operations, JPT Oct., 1353
gravity drainage under miscible conditions: laboratory study, SPEJ June, 247
hydraulically induced: rapid method of predicting width and extent, JPT, 1571
location: borehole televiewer; new logging concept, JPT June, 762
naturally occurring with uniform fracture distribution: interpretation of interference tests, SPEJ Dec., 463
pressure transient analysis SPEJ Dec., 451
vertical: height; its effect on steady-state production increase, JPT May, 633
well test interpretation of gas wells, JPT May, 625
West Edmond field, Oklahoma: internal anatomy of tight Hunton lime reservoir revealed by performance, JPT Feb., 221
Fractured reservoirs or fracturing: *See* Formation Fractures and Formation Fracturing
Fractures: *See* Formation Fractures

G

Galerkin methods: numerical solution of boundary value problems, SPEJ June, 204
Gas condensates: *See* Condensates
Gas cycling: high pressures: realistic K values for C_7+ hydrocarbons for calculating oil vaporization, JPT July, 901
Gas wells: minimum flow rate: analysis and prediction for continuous removal of liquids, JPT Nov., 1475
vertically fractured: well test interpretation, JPT May, 625
Geothermal steam: production: application of material and energy balances, JPT July, 983
Gravity: forces: three-phase flow including viscous and capillary forces, SPEJ June, 255
Gravity drainage: fractured systems under miscible conditions: laboratory study, SPEJ June, 247
mathematical model: repeated steam soaks of thick reservoirs, JPT Jan., 87

H

Heat: efficiency: thermal recovery processes, JPT Mar., 323
loss: consideration in the design of steam injection wells, JPT Jan., 79
steam-drive processes, SPEJ Mar., 59
Heat flow: hot liquid injection into a porous medium, SPEJ Mar., 100
steamflooding: experimental study, SPEJ Mar., 89
Heterogeneity: radial discontinuity: flow test analysis for a well, JPT Feb., 207
three-phase reservoir simulation, JPT Feb., 211
High pressure: during gas cycling: realistic K values of C_7+ hydrocarbons for calculating oil vaporization, JPT July, 901

Huntington Beach field: *See* California
Hydrocarbon recovery: *See* Oil Recovery
Hydrocarbons: C_7+: realistic K values for calculating oil vaporization during gas cycling at high pressures, JPT July, 901
mixtures: methane, propane and C_7; PVT behavior, SPEJ Sept., 338

I

Imbibition: model for two-phase flow in consolidated materials, SPEJ June, 221
Immiscible displacement: consolidated materials: model for two-phase flow, SPEJ June, 221
In-situ combustion: *See* Thermal Recovery of Oil
Indonesia: Sumatran fields: prevention of carbonate scale deposition; well-packing technique with controlled solubility phosphates, JPT Apr., 505
Injection: *See also* Gas Injection, Miscible Displacement, Thermal Recovery of Oil and Waterflooding
aquifer behavior, JPT Sept., 1210
cyclic: project performance analysis and results of a continuous steam displacement pilot, JPT Jan., 95
heat: efficiency of thermal recovery processes, JPT Mar., 323
hot liquid into a porous medium, SPEJ Mar., 100
steam: cyclic process; a dynamic programming model, JPT Dec., 1582
early results of first large-scale soak project, Tia Juana field, Western Venezuela, JPT Jan., 101
Injection wells: backflowing in Delaware-Childers field: estimating combustion air requirement, SPEJ Sept., 351
steam: some practical considerations in the design, JPT Jan., 79
Interference: tests: Hunton lime reservoir; tight and fractured anatomy revealed by performance, JPT Feb., 221
interpretation in naturally fractured reservoirs with uniform fracture distribution, SPEJ Dec., 463
new single-well test for determining vertical permeability, JPT June, 743
Interpretation: interference tests: naturally fractured reservoirs with uniform fracture distribution, SPEJ Dec., 463
well test: vertically fractured gas wells, JPT May, 625

L

Laboratory studies: additives: effect on impregnated diamond bit performance, SPEJ Dec., 425
borehole stability, JPT July, 883
combination of forward combustion and waterflooding, JPT June, 753
deformable diverting agent for improved well stimulation, JPT Apr., 497
geometrical characteristics: simultaneous determination of porous media, SPEJ Dec., 413
gravity drainage: fractured systems under miscible conditions, SPEJ June, 247
gross water channeling: development of large volume remedial treatments, JPT Aug., 1015
heat and mass transport in steam-drive processes, SPEJ Mar., 59
heat flow in steamflooding, SPEJ Mar., 89
hot liquid injection into a porous medium, SPEJ Mar., 100
rotary drilling: idealized down-hole bit/rock conditions; theoretical description, SPEJ Dec., 443
K-values for C_7+ hydrocarbons: for calculating oil vaporization during gas cycling at high pressures, JPT July, 901
linear steamflood process: three-phase simulation, SPEJ June, 232
permeability ratio of different fluid pairs in two-phase systems: effect of temperature, JPT Aug., 1037
PVT behavior: mixtures of C_1, C_3 and C_7 hydrocarbons, SPEJ Sept., 338
scaled model: thin oil columns produced by natural water drive, SPEJ Sept., 317
sucker-rod pump: new concepts in design, JPT Mar., 342
two-phase flow: interphase mass transfer in one and two dimensions, SPEJ Sept., 323
Limestone: Hunton: internal anatomy of a tight and fractured reservoir revealed by performance, Feb., 221
Liquids: continuous removal from gas wells: analysis and prediction of minimum flow rate, JPT Nov., 1475
hot: injection into a porous medium, SPEJ Mar., 100
Logging: *See* Well Logging
Louisiana: computerized drilling control, JPT Apr., 483

M

Mass transfer: interphase: experimental and numerical simulation of two-phase flow in one and two dimensions, SPEJ Sept., 323
Mass transport: steam-drive processes, SPEJ Mar., 59
Material balance: geothermal steam production: application, JPT July, 893
steam soak project: Tia Juana field, Western Venezuela, JPT Jan., 101 and 111
Mathematical modeling: *See* Models: mathematical
Mene Grande field: *See* Venezuela
Miscible displacement: gravity drainage in fractured systems: laboratory study, SPEJ June, 247
Mixtures: hydrocarbon: PVT behavior of methane, propane and C_7, SPEJ Sept., 338
Models: anisotropic: new single-well test for determining vertical permeability, JPT June, 743
compaction cell: laboratory investigation of borehole stability, JPT July, 883
dynamic programming: cyclic steam injection process, JPT Dec., 1582
electrolytic: steady-state production increase; effect of vertical fracture height, JPT May, 633
fluid flow: steamflooding; experimental study of heat flow, SPEJ Mar., 89
Hele-Shaw: investigation of flow regime, SPEJ Dec., 434
mathematical: compositional reservoir simulator; linear model, SPEJ Mar., 115
film flow: analysis and prediction of minimum flow rate for continuous removal of liquids from gas wells, JPT Nov., 1475
heat efficiency of thermal recovery processes, JPT Mar., 323
hot liquid injection into a porous medium, SPEJ Mar., 100
interference tests; interpretation in naturally fractured reservoirs with uniform fracture distribution, SPEJ Dec., 463
linear steamflood process; three-phase simulation, SPEJ June, 232
one and two dimension; simulation of two-phase flow with interphase mass transfer, SPEJ Sept., 323
pressure transient analysis of naturally fractured reservoirs with uniform fracture distribution, SPEJ Dec., 451
pressure transient analysis of wells with restricted flow entry: effect of anisotropy and stratification, JPT May, 639; discussion 646
repeated steam soaks of thick gravity drainage reservoirs, JPT Jan., 87
temperature distribution in a circulating drilling fluid, JPT Mar., 333
theoretical forces for prescribed motion of a roller bit, SPEJ Dec., 473
three-phase reservoir simulation, JPT Feb., 211
two-phase flow in consolidated materials, SPEJ June, 221
well test interpretation of vertically fractured gas wells, JPT May, 625
Monte Carle simulation: analysis of uncertainly in directional surveying, JPT Apr., 515; discussion, 522
sand packed: heat and mass transport in steam-drive processes, SPEJ Mar., 59
scaled: studies of thin oil columns produced by natural water drive, SPEJ Sept., 317
steam soak process: early results of first large-scale project; Tia Juana field, Western Venezuela, JPT Jan., 101
three component NMR: studies of porosity, movable fluid, and permeability of sandstones, JPT June, 775

N

Natural gas: *See also* Gases
PVT behavior, SPEJ Sept., 338
New Zealand: Wairakei field: geothermal steam; application of material and energy balances to production, JPT July, 893
Non-Newtonian systems: porous media: steady-state and unsteady-state flow, SPEJ Mar., 80

Nuclear Magnetic Resonance: pulsed: studies of porosity, movable fluid, and permeability of sandstones, JPT June, 775
Numerical solution: aquifer behavior with injection, JPT Sept., 1210
carbonate scale deposition: prevention by well-packing technique with controlled solubility phosphates, JPT Apr., 505
compositional reservoir simulator; linear model, SPEJ Mar., 115
computerized drilling control, JPT Apr., 483
cyclic steam injection process: dynamic programming model, JPT Dec., 1582
directional surveying: analysis of uncertainty, JPT Apr., 515; discussion, 522
Galerkin methods for boundary value problems, SPEJ June, 204
heat and mass transport in steam-drive processes, SPEJ Mar., 59
heat efficiency: thermal recovery processes, JPT Mar., 323
hot liquid injection into a porous medium, SPEJ Mar., 100
hydraulically induced fractures: rapid method of predicting width and extent, JPT Dec., 1571
interference tests: interpretation in naturally fractured reservoirs with uniform fracture distribution, SPEJ Dec., 463
mathematical model for two-phase flow in consolidated materials, SPEJ June, 221
non-Newtonian fluids: steady-state and unsteady-state flow through porous media, SPEJ Mar., 80
partially penetrating wells: study of behavior, SPEJ June, 189
pressure transient analysis: naturally fractured reservoirs with uniform fracture distribution, SPEJ Dec., 451
wells with restricted flow entry; effect of anisotropy and stratification, JPT May, 639; discussion 646
rotary drilling: theoretical description for idealized downhole bit/rock conditions, SPEJ Dec., 443
skin effect in producing wells, JPT Nov., 1483
temperature distribution: in circulating drilling fluid, JPT Mar., 333
theoretical forces for prescribed motion of a roller bit, SPEJ Dec., 473
three-phase fluid flow: including gravitational, viscous and capillary forces, SPEJ June, 255
three-phase reservoir simulation, JPT Feb., 211
linear steamflood process, SPEJ June, 232
two-phase flow: problems; using implicit difference equations, SPEJ Dec., 417
with interphase mass transfer in one and two dimensions, SPEJ Sept., 323
vertical permeability: single-well test, JPT June, 743
well test interpretation: vertically fractured gas wells, JPT May, 625

O

Oil: *See also* Petroleum
thin columns: produced by natural water drive; scaled model studies, SPEJ Sept., 317
Oil fields: *See also* name of specific fields
operations: fracture gradient prediction and its application, JPT Oct., 1353
Oklahoma: Delaware-Childers field: estimating the combustion drive air requirement by backflowing an injection well, SPEJ Sept., 351
West Edmond field: internal anatomy of a tight, fractured Hunton lime reservoir revealed by performance, JPT Feb., 221
Optimization: dynamic programming model of cyclic steam injection process, JPT Dec., 1582
Optimizing techniques: multicycle steam stimulation, SPEJ Sept., 357

P

Penetration: partial: study of behavior of wells, SPEJ June, 189
Performance predictions: fracture gradients: application in oilfield operations, JPT Oct., 1353
gravity drainage: mathematical model of repeated steam soaks of thick reservoirs, JPT Jan., 87
hydraulically induced fractures: rapid method of predicting width and extent, JPT Dec., 1571
PVT behavior for mixtures of methane, propane and C_7 hydrocarbons, SPEJ Sept., 338
steam drive project: Tia Juana field, Western Venezuela, JPT Jan., 111
three-phase fluid flow: including gravitational, viscous and capillary forces, SPEJ June, 255
West Edmond field, Oklahoma: internal anatomy of a tight, fractured Hunton lime reservoir revealed, JPT Feb., 221
Permeability: effect on width: hydraulically induced fractures, JPT Dec., 1571
low: Hunton lime fractured reservoir revealed by performance, JPT Feb., 221
sandstones: pulsed nuclear magnetic resonance studies, JPT June, 775
simultaneous determination of basic geometrical characteristics of porous media, SPEJ Dec., 413
stratified: effect on pressure transient analysis of wells with restricted flow entry, JPT May, 639; discussion, 646
vertical: determining by new single-well test, JPT June, 743
Permeability ratio: different fluid pairs in two-phase systems: effect of temperature, JPT Aug., 1037
Petroleum: *See also* Oil
Petroleum economics: *See* Economics
Phosphates: controlled solubility: prevention of carbonate scale deposition with a well-packing technique, JPT Apr., 505
Pilot study: continuous steam displacement: cyclic steam injection project performance analysis and results, JPT Jan., 95
steam drive project: performance analysis of Mene Grande field, Western Venezuela, JPT Jan., 111
Porosity: sandstones: pulsed Nuclear Magnetic Resonance studies, JPT June, 775
simultaneous determination of basic geometrical characteristics of porous media, SPEJ Dec., 413
Porous media: creeping flow in Hele-Shaw cells: investigation of flow regime, SPEJ Dec., 434
geometrical characteristics: simultaneous determination, SPEJ Dec., 413
hot liquid injection, SPEJ Mar., 100
model for two-phase flow, SPEJ June, 221
non-Newtonian fluids: steady-state and unsteady-state flow, SPEJ Mar., 80
two-phase flow: interphase mass transfer in one and two dimensions; experimental and numerical simulation, SPEJ Sept., 323
Pressure behavior: *See also* Reservoir Pressure
condensates: predicting depletion behavior, SPEJ Sept., 343
mixtures: methane, propane and C_7 hydrocarbons, SPEJ Sept., 338
Pressure buildup: naturally fractured reservoirs with uniform fracture distribution, SPEJ Dec., 451
well test interpretation: vertically fractured gas wells, JPT May, 625
Pressure distribution: partially penetrating wells: study of behavior, SPEJ June, 189
Pressure gradient: fracture: prediction and application in oilfield operations, JPT Oct., 1353
Pressure maintenance: *See also* Gas Injection, Miscible Displacement, and Waterflooding
aquifer behavior with injection, JPT Sept., 1210
Pressure transients: analysis: naturally fractured reservoirs with uniform fracture distribution, SPEJ Dec., 451
wells with restricted flow entry; effect of anisotropy and stratification, JPT May, 639; discussion, 646
interpretation: interference tests in naturally fractured reservoirs with uniform fracture distribution, SPEJ Dec., 463
Production: combinations of gas and water drive: three-phase reservoir simulation, JPT Feb., 211
geothermal steam: application of material and energy balances, JPT July, 893
steady-state: effect of vertical fracture height, JPT May, 633
viscous crude: sucker-rod pump design, JPT Mar., 342
Production operations: *See also* the specific operation
Properties: geometrical: simultaneous determination of porous media, SPEJ Dec., 413
Pumps: sucker-rod: new concepts in design, JPT Mar., 342

R

Recovery methods: *See* Oil Recovery and Thermal Recovery of Oil
Relative permeability: *See* Permeability: relative

Reservoir analysis: *See also* Performance Predictions
aquifer behavior with injection, JPT Sept., 1210
boundary value problems: Galerkin methods for numerical solutions, SPEJ June, 204
natural water drive: scaled model studies of thin oil columns, SPEJ Sept., 317
radial distance to a discontinuity by flow test analysis of a well, JPT Feb., 207
Reservoir pressure: *See also* Pressure Behavior
Reservoir rocks: *See* Cores and Porous Media
Reservoir simulation: *See also* Models
compositional: linear model, SPEJ Mar., 115
experimental and numerical: two-phase flow with interphase mass transfer in one and two dimensions, SPEJ Sept., 323
numerical, three-phase: linear steamflood process, SPEJ June, 232
three-phase: mathematical model, JPT Feb., 211
two-phase flow: solution of problems using implicit difference equations, SPEJ Dec., 417
Reservoir stimulation: cyclic steam injection project, JPT Jan., 95
steam: optimization of multicycle technique, SPEJ Sept., 357
Reservoirs: *See also* types, such as, Gravity Drainage, Solution-Gas Drive, and Water Drive, and also specific names
steam: application of material and energy balances to geothermal steam production, JPT July, 893
Retrograde condensation: depletion behavior prediction of condensates, SPEJ Sept., 343
Rock mechanics: borehole stability: laboratory investigation, JPT July, 883
diamond bit performance: effect of additives, SPEJ Dec., 425
hydraulically induced fractures: rapid method of predicting width and extent, JPT Dec., 1571
idealized down-hole bit/rock conditions: theoretical description of rotary drilling, SPEJ Dec., 443
theoretical forces for prescribed motion of a roller bit, SPEJ Dec., 473

S

Sandstones: porosity, movable fluid and permeability: pulsed Nuclear Magnetic Resonance, JPT June, 775
Scale: carbonate deposition prevention: well-packing technique with controlled solubility phosphates, JPT Apr., 505
Scaling: model studies of thin oil columns produced by natural water drive, SPEJ Sept., 317
Secondary recovery: *See* Gas Injection, Miscible Displacement, Thermal Recovery of Oil, and Waterflooding
Shale: borehole stability: laboratory investigation, JPT July, 883
Simulation: Monte Carlo: analysis of uncertainty in directional surveying, JPT Apr., 515; discussion, 522
Skin effect: producing wells, JPT Nov., 1483
Stability: borehole: laboratory investigation, JPT July, 883
Statistics: additives: effect on impregnated diamond bit performance, SPEJ Dec., 425
simultaneous determination of basic geometrical characteristics of porous media, SPEJ Dec., 413
Steam injection: *See* Thermal Recovery of Oil
Stimulation: *See* Reservoir and Well Stimulation, or the specific process
Storage facilities: *See* Storage: underground, and Underground Storage
Stratification: *See* Permeability: stratified
Stresses: borehole: laboratory investigation of stability, JPT July, 883
Sucker rods: pump: new concepts in design, JPT Mar., 342
Sumatran fields: *See* Indonesia

T

Televiewer: borehole: new logging concept for fracture location and other types of borehole inspection, JPT June, 762
Temperature: distribution: in circulating drilling fluid, JPT Mar., 333
effect on permeability ratio of different fluid pairs in two-phase systems, JPT Aug., 1037
profiles: steamflooding; experimental study of heat flow, SPEJ Mar., 89
Testing: gas wells: interpretation of vertically fractured formations, JPT May, 625
single-well: determining vertical permeability, JPT June, 743
Thermal recovery of oil: combustion drive: estimating air requirement by back-flowing an injection well in Delaware-Childers field, SPEJ Sept., 351
cyclic steam injection: performance analysis and results of a continuous steam displacement pilot, JPT Jan., 95
forward combustion: laboratory study of a combination with waterflooding, JPT June, 753
heat and mass transport in steam-drive processes, SPEJ Mar., 59
heat efficiency of processes, JPT Mar., 323
mathematical model: repeated steam soaks of thick gravity drainage reservoirs, JPT Jan., 87
steam: optimization of multicycle stimulation, SPEJ Sept., 357
steam drive: experimental study of heat flow, SPEJ Mar., 89
linear; numerical, three-phase simulation, SPEJ June, 232
performance analysis of Tia Juana field, Western Venezuela, JPT Jan., 111
steam injection: dynamic programming model of the cyclic process, JPT Dec., 1582
some practical considerations in well design, JPT Jan., 79
steam soak; early results of the first large-scale project; Tia Juana field, Western Venezuela, JPT Jan., 101
Tia Juana field: *See* Venezuela
Transient flow: non-Newtonian fluids through porous media, SPEJ Mar., 80

U

Underground combustion: *See* Thermal Recovery of Oil

V

Valuations: *See* Evaluations
Vaporization: oil: during gas cycling at high pressures; realistic K values of C_7+ hydrocarbons for calculating, JPT July, 901
Venezuela: Bolivar coast: sucker-rod pumps; new concepts in design, JPT Mar., 342
Mene Grande field: steam drive pilot study, JPT Jan., 111
Tia Juana field: early results of the first large-scale steam soak project, JPT Jan., 101
performance analysis of major steam drive project, JPT Jan., 111
Volume: steam: optimization; multicycle stimulation, SPEJ Sept., 357

W

Wairakei field: *See* New Zealand
Water coning: solution of two-phase flow problems using implicit difference equations, SPEJ Dec., 417
Water drive: natural: scaled model studies of thin oil columns, SPEJ Sept., 317
Water drive reservoirs: aquifer behavior with injection, JPT Sept., 1210
Waterflooding: combined with forward combustion: laboratory study, JPT June, 753
Water influx: skin effects in producing wells, JPT Nov., 1483
Water injection: *See* Waterflooding
Well completion: *See also* specific types and Well Stimulation
continuous steam displacement pilot: cyclic steam injection project, JPT Jan., 95
steam injection wells: some practical considerations in the design, JPT Jan., 79
Well logging: borehole televiewer: new concept for fracture location and other types of borehole inspection, JPT June, 762
Well performance: *See also* Wellbore Mechanics
partially penetrating wells: study of behavior, SPEJ June, 189
pressure transient analysis: restricted flow entry; effect of anisotropy and stratification, JPT May, 639
steam soak: early results of the first large-scale project; Tia Juana field, Western Venezuela, JPT Jan., 101
Well stimulation: *See also* Acidizing, Formation Fracturing and Perforating

fracture gradient prediction, JPT Oct., 1353
improved by deformable diverting agent, JPT Apr., 497
Well surveying: directional drilling: analysis of uncertainty, JPT Apr., 515; discussion, 522
Well treatment: packing technique with controlled solubility phosphates: prevention of carbonate scale deposition, JPT Apr., 505
Wellbore mechanics: partially penetrating wells: study of behavior, SPEJ June, 189
vertical fracture height: effect on steady-state production increase, JPT May, 633
West Edmond field: *See* Oklahoma

Y

Yorba Linda field: *See* California